DOSING SHEET

Your doctor may give you this "dosing sheet" to better explain what type of tablets you must take every day.

You can show this sheet to your pharmacist to be sure that you receive the right prescribed daily dose.

| Date:/ | | |
|--|----------|----|
| Name: | | kg |
| Prescriber name: | | |
| Your doctor has prescribed mg of Siklos® p | oer day. | |
| This means that each day you should take: | | |

Siklos® 100 mg

Each half-tablet is embossed "H" for Hundred on one side

| ☐ 1/2 tablet: 50 mg | H | Siklos 100 mg timoverradest tables sinc coated tabl |
|--|----|--|
| entire tablet(s) of 100 mg = mg | HH | GOLD box |

Siklos®1000 mg

Each quarter-tablet is embossed "T" for Thousand on one side

| 1/4 tablet: 250 mg | T | Siklos (1000 mg |
|--|-------|--|
| 1/2 tablet: 500 mg | TL | finovertrukhet staber/film-coaled taber transport and taber transport taber to take to taber to take to taber to take to |
| 3/4 tablet: 750 mg | | The second secon |
| entire tablet(s) of 1 000 mg = mg | TUTUT | RED box |

Please show this sheet to your pharmacist with the prescription.

Before starting your treatment, please read the patient information guide; it contains important information on Siklos[®], especially on precautions for handling the tablets.





Available in 2 different strengths:

100 mg en 1 000 mg

How to use the Siklos® spare tablets parts?

If you need a half or a quarter tablet, depending on the prescription, the tablets can be broken easily.

Place the unused broken tablets in the corresponding bottle of the right strength, then replace it in the box.

The broken tablets must be used within 3 months.



